PATENT Attorney Docket No. 101.0023-04000 Customer No. 22882

APPEAL TO THE BOARD OF PATENT APPEALS AND INTERFERENCES

In re Application of:)	
Gary Karlin Michelson, M.D.)	
Serial No.: 08/354,450	j	Group Art Unit: 3764
Filed: December 12, 1994)	Examiner: D. DeMille
For: DEVICE FOR ARTHROSCOPIC)	
MENISCAL REPAIR)	

Mail Stop APPEAL BRIEF-Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir.

SUBMISSION OF SUPPLEMENTAL APPENDIX SHEET TO APPEAL BRIEF

In reply to the request from the Board of Appeals and Interferences, submitted herewith is a Related Proceedings Appendix sheet to supplement Appellant's Brief dated April 20, 2005.

It is requested that this document be made of record in the above-identified application.

Respectfully submitted,

MARTIN & FERRARO, LLP

Dated: May 19, 2006

Amedeo F. Ferraro Registration No. 37,129

1557 Lake O'Pines Street, NE Hartville, Ohio 44632

Telephone: (330) 877-0700 Facsimile: (330) 877-2030

Application No. 08/354,450 Attorney Docket No. 101.0023-04000

RELATED PROCEEDINGS APPENDIX 2

There are no related proceedings relevant to this appendix.

RECEIVED

MAY 1 9 2006

MARTIN & FERRARO, LLP

BOARD OF PATENT APPEALS **AND INTERFERENCES**

ATTORNEYS AT LAW 1925 Century Park East, 17th Floor Los Angeles, California 90067

Telephone (310) 286-9800

Facsimile (310) 286-2795

FACSIMILE TRANSMITTAL

TO:

FROM:

Name: Mr. Vasco Harper

Name:

Amedeo F. Ferraro

Mail Stop APPEAL BRIEF-Patents

Firm: U.S. Patent & Trademark Office

Phone No.: 310-286-9800

Fax No.: 571-273-0300

No. of Pages (including this): 3

Subject: U.S. Patent Application No. 08/354,450

Date:

May 19, 2006

Gary Karlin Michelson Filed: December 12, 1994

DEVICE FOR ARTHROSCOPIC MENISCAL

REPAIR

Attorney Docket No. 101.0023-04000

Customer No. 22882 Confirmation No.: 3041 Confirmation Copy to Follow: NO

Message:

CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that the attached Statement of Substance of Interview is being facsimile transmitted to the U.S. Patent and Trademark Office on May 19, 2006.

Sandra L. Blackmon

If there is a problem with this transmission please call Sandy Blackmon at 330-877-1202 or the sender at the number above.

The information contained in this facsimile message is privileged and confidential information intended only for the use of the addressee listed above. If you are not the intended recipient or the employee or agent responsible to deliver this message to the intended recipient, please do not use this transmission in any way, but contact the sender by telephone.